

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Skumrengøring Sur Prime Source Mild 72

Product no.

-

REACH registration number

Not applicable

Unique formula identifier (UFI)

-

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Chemicals for industrial purposes

Washing and Cleaning Products (including solvent based products) (PC35)

Industrial spraying (PROC 7)

Professional uses: Public domain (administration, education, entertainment, services, craftsmen) (SU 22)

Industrial use of substances in closed systems (ERC7)

Uses advised against

-

The full text of any mentioned and identified use categories are given in section 16

1.3. Details of the supplier of the safety data sheet

Company and address

MultiLine
Kirkebjergvej 17,
4180 Sorø
+45 70107700

Contact person

Kemiingeniør Jacob L. Mose

E-mail

productsafety@multiline.dk

SDS date

2020-11-26

SDS Version

1.1

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures".

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Skin Corr. 1B; H314

Eye Dam. 1; H318

See full text of H-phrases in section 2.2.

2.2. Label elements

Hazard pictogram(s)**Signal word**

Danger

Hazard statement(s)

Causes severe skin burns and eye damage. (H314)

Precautionary statements

General	-
Prevention	Do not breathe mist/vapours/fume/spray. (P260). Wash hands thoroughly after handling. (P264). Wear eye protection/protective clothing/protective gloves. (P280).
Response	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. (P303+P361+P353). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338).
Storage	-
Disposal	Dispose of contents/container to an approved waste disposal plant. (P501).

Identity of the substances primarily responsible for the major health hazards

sulphuric acid, Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched

2.3. Other hazards

Not applicable

Additional labelling

Not applicable

Additional warnings

Not applicable

VOC (volatile organic compound)

Not applicable

SECTION 3: Composition/information on ingredients

3.1/3.2. Substances/Mixtures

NAME: sulphuric acid
IDENTIFICATION NOS.: CAS-no: 7664-93-9 EC-no: 231-639-5 REACH-no: 01-211945883
8-20-20 Index-no: 016-020-00-8
CONTENT: 5 - <10%
CLP CLASSIFICATION: Met. Corr. 1, Skin. Corr. 1A
H290, H314
NOTE: L

NAME: Citric acid, monohydrate
IDENTIFICATION NOS.: CAS-no: 5949-29-1 EC-no: 201-069-1 REACH-no: 01-2119457
2119457026-42-0000
2119457026-42-0000
CONTENT: 5 - <10%
CLP CLASSIFICATION: Eye Irrit. 2
H319

NAME: Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched
IDENTIFICATION NOS.: CAS-no: 69011-36-5 EC-no: -
CONTENT: 2.5 - <5%
CLP CLASSIFICATION: Acute Tox. 4, Eye Dam. 1
H302, H318

NAME: Cocoamphoacetat
IDENTIFICATION NOS.: CAS-no: 68608-65-1
CONTENT: 2.5 - <5%
CLP CLASSIFICATION: Skin Irrit. 2, Eye Dam. 1
H315, H318

(*) See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.
L = European occupational exposure limit.

Other information

ATEmix(inhale, vapour) > 20
ATEmix(inhale, dust/mist) > 5
ATEmix(inhale, gas) > 20000
ATEmix(dermal) > 2000
ATEmix(oral) > 2000
Eye Cat. 2 Sum = Sum(Ci/S(G)CLi) = 1,6616 - 2,4924
Skin Cat. 2 Sum = Sum(Ci/S(G)CLi) = > 1 - 1,3728

Detergent:
> 30%: AQUA
5 - 15%: SULFURIC ACID, CITRIC ACID

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. The doctor can contact The National Poisons Information Service: Dial 0344 892 0111 (24 h service). Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Bring the person into fresh air and stay with him/her.

Skin contact

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with soap and water. Skin cleanser can be used. DO NOT use solvents or thinners.

Eye contact

Remove contact lenses. Flush eyes with plenty of water or salt water (20-30°C) for at least 15 minutes and continue until irritation stops. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing.

Ingestion

In the case of ingestion, contact a doctor immediately and bring the safety data sheet or label. If the person is conscious, give them water. DO NOT try to induce vomiting, unless this is recommended by a doctor. Hold head facing down to prevent vomit returning to the mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.

Burns

Not applicable

4.2. Most important symptoms and effects, both acute and delayed

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, -irritations and burns in the respiratory organs -as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned: Get immediate medical advice/attention.

Information to medic

Bring this safety data sheet.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Recommended: alcohol-resistant foam, carbonic acid, powder, water mist. Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous catabolic substances are produced. These are: Sulphur oxides. Carbon oxides. Fire will result in dense black smoke. Exposure to combustion products may harm your health. Fire fighters should wear appropriate protection equipment. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances. Avoid inhalation of vapours from spilled material.

6.2. Environmental precautions

No specific requirements.

6.3. Methods and material for containment and cleaning up

Use sand, sawdust, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations. To the extent possible cleaning is performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section on "Disposal considerations" in regard of handling of waste. See section on 'Exposure controls/personal protection' for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Smoking, storage of tobacco, consumption and storage of food or liquids are not allowed in the workrooms. See section on 'Exposure controls/personal protection' for information on personal protection. Avoid direct contact with the product.

7.2. Conditions for safe storage, including any incompatibilities

Always store in containers of the same material as the original container. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Storage temperature

No data available.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

OEL

No substances are listed in The Control of Substances Hazardous to Health Regulations with an occupational exposure limit.

DNEL / PNEC

PNEC (Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched): >10.000 mg/l

Exposure: Activated Sludge Plant

Duration of Exposure: Single

8.2. Exposure controls

Control is unnecessary if the product is used as intended.

General recommendations

Observe general occupational hygiene standards.

Exposure scenarios

In the event exposure scenarios are appended to the safety data sheet, the operational conditions and risk management measures in these shall be complied with.

Exposure limits

Occupational exposure limits have not been defined for the substances in this product.

Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of gas or dust.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure

Keep containment materials near the workplace. If possible, collect spillage during work.

Individual protection measures, such as personal protective equipment



Generally

Use only CE marked protective equipment.

Respiratory Equipment

No specific requirements.

Skin protection

Dedicated work clothing should be worn. Wear a protective suit in the event of prolonged periods of work with the product.

Hand protection

Nitrile rubber

Material thickness: 0,38 mm.

Breakthrough time: > 120 minutes (Class 4)

Eye protection

Wear safety glasses with side shields.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form	Liquid
Colour	Clear
Odour	None
Odour threshold (ppm)	No data available.
pH	0,6
Viscosity (40°C)	No data available.
Density (g/cm ³)	1,08

Phase changes

Melting point (°C)	No data available.
Boiling point (°C)	No data available.
Vapour pressure	No data available.
Decomposition temperature (°C)	No data available.
Evaporation rate (n-butylacetate = 100)	No data available.

Data on fire and explosion hazards

Flash point (°C)	No data available.
Ignition (°C)	No data available.
Auto flammability (°C)	No data available.
Explosion limits (% v/v)	No data available.
Explosive properties	No data available.

Solubility

Solubility in water	Soluble
n-octanol/water coefficient	No data available.

9.2. Other information

Solubility in fat (g/L)	No data available.
-------------------------	--------------------

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

The product is stable under the conditions, noted in the section "Handling and storage".

10.3. Possibility of hazardous reactions

Nothing special

10.4. Conditions to avoid

Nothing special

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Substance: Cocoamphoacetat
Species: Rat
Test: LD50
Route of exposure: Oral
Result: <5000 mg/kg

Substance: Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched
Species: Rat
Test: LD50

Route of exposure: Oral
Result: 500-2000 mg/kg

Substance: Citric acid, monohydrate
Species: Rat
Test: LD50
Route of exposure: Dermal
Result: >2000 mg/kg

Substance: sulphuric acid
Species: Rat
Test: LD50
Route of exposure: Oral
Result: 2140 mg/kg

Substance: sulphuric acid
Species: Rat
Test: LC50
Route of exposure: Inhalation
Result: 0,375 mg/kg

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Data on substance: Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched
Test: OECD Guideline 404
Organism: Rabbit
Result: Not irritating

Serious eye damage/irritation

Causes serious eye damage.

Data on substance: Cocoamphoacetat
Test: OECD Guideline 404
Organism: Rabbit
Result: Eye damage

Data on substance: Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched
Test: OECD Guideline 404
Organism: Rabbit
Result: Irritating

Respiratory or skin sensitisation

No data available.

Germ cell mutagenicity

Data on substance: Cocoamphoacetat
No adverse effect observed.

Data on substance: Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched
No adverse effect observed.

Data on substance: Citric acid, monohydrate
No adverse effect observed.

Data on substance: sulphuric acid
No adverse effect observed.

Carcinogenicity

Data on substance: Cocoamphoacetat
No adverse effect observed.

Data on substance: Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched
No adverse effect observed.

Data on substance: Citric acid, monohydrate
No adverse effect observed.

Data on substance: sulphuric acid
No adverse effect observed.

Reproductive toxicity

Data on substance: Cocoamphoacetat

No adverse effect observed.

Data on substance: Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched
No adverse effect observed.

Data on substance: Citric acid, monohydrate
No adverse effect observed.

Data on substance: sulphuric acid
No adverse effect observed.

STOT-single exposure

No data available.

STOT-repeated exposure

No data available.

Aspiration hazard

Data on substance: Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched
No adverse effect observed.

Long term effects

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, -irritations and burns in the respiratory organs -as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

SECTION 12: Ecological information

12.1. Toxicity

Substance: Cocoamphoacetat
Species: Fish
Test: LC50
Duration: 96 h
Result: 5,3 mg/l

Substance: Cocoamphoacetat
Species: Daphnia
Test: EC50
Duration: 96 h
Result: 8,9 mg/l

Substance: Cocoamphoacetat
Species: Algae
Test: ErC50
Duration: 72 h
Result: 16,9 mg/l

Substance: Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched
Species: Fish
Test: LC50
Duration: 96 h
Result: 1-10 mg/l

Substance: Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched
Species: Algae
Test: EC50
Duration: 72 h
Result: 1-10 mg/l

Substance: Poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, branched
Species: Daphnia
Test: EC50
Duration: 48 h
Result: 1-10 mg/l

Substance: Citric acid, monohydrate
Species: Fish
Test: LC50
Duration: 48 h
Result: 440 mg/l

Substance: Citric acid, monohydrate
Species: Algae

Test: NOEC
Duration: 8 d
Result: 425 mg/l

Substance: Citric acid, monohydrate
Species: Daphnia
Test: LC50
Duration: 24 h
Result: 1535 mg/L

Substance: sulphuric acid
Species: Crustacean
Test: EC50
Duration: 48 h
Result: > 100 mg/l

12.2. Persistence and degradability

Substance	Biodegradability	Test	Result
Cocoamphoacetat	Yes	DOC Die-Away Test	73%
Poly(oxy-1,2-ethanediyl), alph...	Yes	CO2 Evolution Test	>60%
Citric acid, monohydrate	Yes	No data available	No data available
sulphuric acid	Yes	No data available	No data available

12.3. Bioaccumulative potential

Substance	Potential bioaccumulation	LogPow	BCF
Cocoamphoacetat	No	-1	No data available
Poly(oxy-1,2-ethanediyl), alph...	No	No data available	No data available
Citric acid, monohydrate	No	No data available	No data available
sulphuric acid	No	No data available	No data available

12.4. Mobility in soil

Cocoamphoacetat: Log Koc= -0,7135, Calculated from LogPow ().

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. Other adverse effects

Nothing special

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste.

Waste

EWC code

20 01 14 acids

Specific labelling

Not applicable

Contaminated packing

Contaminated packaging must be disposed of similarly to the product.

SECTION 14: Transport information

14.1 – 14.4

This product is within scope of the regulations of transport of dangerous goods.

ADR/RID

14.1. UN number	3264
14.2. UN proper shipping name	-
14.3. Transport hazard class(es)	8
14.4. Packing group	II
Notes	-
Tunnel restriction code	-

IMDG

UN-no.	3264
Proper Shipping Name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.(SULFURIC ACID)
Class	8
PG*	II
EmS	F-S, S-B
MP**	No

Hazardous constituent	-
IATA/ICAO	
UN-no.	3264
Proper Shipping Name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.(SULFURIC ACID)
Class	8
PG*	II

14.5. Environmental hazards

-

14.6. Special precautions for user

-

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

(*) Packing group

(**) Marine pollutant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

People under the age of 18 shall not be exposed to this product cf. Council Directive 94/33/EC of 22 June 1994 on the protection of young people at work.

Demands for specific education

-

Additional information

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Seveso

-

Sources

Council Directive 94/33/EC of 22 June 1994 on the protection of young people at work.
Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents.
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (CLP).
Regulation (EC) 1907/2006 (REACH).

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H290 - May be corrosive to metals.
H302 - Harmful if swallowed.
H314 - Causes severe skin burns and eye damage.
H315 - Causes skin irritation.
H318 - Causes serious eye damage.
H319 - Causes serious eye irritation.

The full text of identified uses as mentioned in section 1

PC35 = Washing and Cleaning Products (including solvent based products)
PROC 7 = Industrial spraying
SU 22 = Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
ERC7 = Industrial use of substances in closed systems

Additional label elements

Not applicable

Other

In accordance with Regulation (EC) No. 1272/2008 (CLP) the evaluation of the classification of the mixture

is based on:

The classification of the mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP)

The classification of the mixture in regard of skin corrosion and serious eye damage is based on the pH-criterion given by Regulation (EC) No. 1272/2008 (CLP) It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The safety data sheet is validated by

Basel Altonji

**Date of last essential change
(First cipher in SDS version)**

-

**Date of last minor change
(Last cipher in SDS version)**

-