



Article no	41103		Glove disposable latex size L Prime Source, powderfree, AQL 1.5, white 100 pcs			
Material combination		Latex (natu	Latex (natural rubber) - double chlorinated on the inside			
Brand		Prime Sour	се			
Product Specific Information:						
Tariff number	4015190	000	Thickness/weight	5,8 g		
UNSPSC code	42132203	3	Meassure	size L		
Country of Origin	MALAYS	IA	Color	White		
Package Information: Carton 10 pk x 100 pcs/crt Bar code 5708297149895						

Sub Packaging	100 pcs/pk	Bar code 5708297149888

# **Description:**

Non-sterile disposable gloves in natural latex rubber. Available in sizes S - XL

## Field of application:

The food sector, the health sector and work in wet environments

## **Physical Properties:**

AQL	AQL 1,5 (level 2)		
Thickness wrist	> 0,08 mm	Breaking strength before aging	≈ 11 N
Thickness Finger	0,11 mm	Breaking strength after aging	≈9 N
Thickness Palm	0,09 mm	Elasticity before loading	650%
Thickness Cuff	0,07 mm	Elasticity after loading	500%
Length median	240 mm	_	
Shaft/Cuff	Rolled	Dispensed individually	
Surface structure	Smooth		



## **Chemical ingredients:**

### **Chemical composition**

HA (høj ammoniak konserveret) latexgummi, svovl, zinkoxid, kaliumhydroxid, ZDEC, ZDBC, IONOL LC, Tamol, Klorgas, kobber phatahlocyanin

### Information on ingredients

Accelerators	Yes
Plasticizers	No
Thiurams	No
Dithiocarbamates	ZDBC, ZDEC
Mercaptobenzothiazole and derivatives	
Mercaptobenzimidazole	No
P-phenylenediamine derivatives	No
Latexprotein (ug/g)	18 µg/g
Chemicals from REACH	No

### **Compliance:**

### Legislation

Testing conducted according to the German recommendations BfR XXI on products made from natural and synthetic rubber for food contact - including disposable gloves.

I accordance with 2016/425/EC, EN420, EN374-2-3, and EN388. AQL 1,5. Contains the following allergenics: High ammonia Latex.

Available in sizes S, M, L, XL.

Manufactured according to ASTM D3578 and manufacturer is certified according to ISO 9001: 2008, ISO 13485: 2003 and EN ISO 13485: 2012

### Test information

Overall migrationtest	✓
Specific migrationtest	✓
Virus penetration test (ASTM_F_1671)	$\checkmark$
Other tests	
Standards	

EN388

### Symbols:

C€ ワŢ



## Storage and disposal:

Store in orginal packaging in a dry and dark place, protected from sunlight, at 10 to 30° C. Protect from ozone.

Disposal:

Product: Can be disposed of with household waste and/or by combustion in waste incineration. Gloves contamination with chemical substances must be disposed of in accordance with the regulations for the relevant chemicals.

Sub and Transport Packing (plastic or carton): Can be disposed of by waste incineration/recycle. The pallet: EU pallets (wood) can be recycled, other pallets (wood or plastic): Can be disposed of by waste incineration or recycle.

## **Related article numbers:**



MultiLine A/S, Kirkebjergvej 17, 4180 Sorø Produced for Multiline A/S